



Bid Number/बोली क्रमांक (बिड संख्या):  
GEM/2025/B/5907707  
Dated/दिनांक : 25-02-2025

### Bid Document/ बिड दस्तावेज़

Bid Details/बिड विवरण	
Bid End Date/Time/बिड बंद होने की तारीख/समय	19-03-2025 13:00:00
Bid Opening Date/Time/बिड खुलने की तारीख/समय	19-03-2025 13:30:00
Bid Offer Validity (From End Date)/बिड पेशकश वैधता (बंद होने की तारीख से)	120 (Days)
Ministry/State Name/मंत्रालय/राज्य का नाम	Pmo
Department Name/विभाग का नाम	Department Of Atomic Energy
Organisation Name/संगठन का नाम	Iter India Ipr
Office Name/कार्यालय का नाम	literindia Ipr Blocka Sangath Skyz Bhatmote
क्रैता ईमेल/Buyer Email	buyer2.iii.gj@gembuyer.in
Total Quantity/कुल मात्रा	59
Item Category/मद केटेगरी	RCCB - Residual Current Operated Circuit - Breakers as per IS 12640 (Q3) , Circuit Breakers with Integral Overcurrent Protection (RCBO) as per IS 12640 (Part 2) IEC 61009 - 1 (Q3) , MCB - Miniature Circuit - Breakers for A.C. Operation as per IS / IEC 60898 (Part 1) (Q2)
MSE Exemption for Years of Experience and Turnover/ अनुभव के वर्षों से एमएसई छूट	No
Startup Exemption for Years of Experience and Turnover/ अनुभव के वर्षों से स्टार्टअप छूट	No
Document required from seller/विक्रेता से मांगे गए दस्तावेज़	Certificate (Requested in ATC),Additional Doc 1 (Requested in ATC),Additional Doc 2 (Requested in ATC),Compliance of BoQ specification and supporting document *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
Do you want to show documents uploaded by bidders to all bidders participated in bid?/	No
Bid to RA enabled/बिड से रिवर्स नीलामी सक्रिय किया	No
Type of Bid/बिड का प्रकार	Single Packet Bid
Primary product category	RCCB - Residual Current Operated Circuit - Breakers as per IS 12640

**Bid Details/बिड विवरण**

<b>Time allowed for Technical Clarifications during technical evaluation/तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय</b>	5 Days
<b>Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)</b>	No
<b>Evaluation Method/मूल्यांकन पद्धति</b>	Total value wise evaluation
<b>Arbitration Clause</b>	No
<b>Mediation Clause</b>	No

**EMD Detail/ईएमडी विवरण**

Required/आवश्यकता	No
-------------------	----

**ePBG Detail/ईपीबीजी विवरण**

Required/आवश्यकता	No
-------------------	----

**MII Purchase Preference/एमआईआई खरीद वरीयता**

MII Purchase Preference/एमआईआई खरीद वरीयता	No
--	----

**MSE Purchase Preference/एमएसई खरीद वरीयता**

MSE Purchase Preference/एमएसई खरीद वरीयता	Yes
---	-----

1. Purchase preference will be given to MSEs having valid Udyam Registration and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service and Buyer will decide eligibility for purchase preference based on documentary evidence submitted, while evaluating the bid. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the OM No. F.1/4/2021-PPD dated 18.05.2023 [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.

2. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and

for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

### RCCB - Residual Current Operated Circuit - Breakers As Per IS 12640 ( 6 pieces )

Bis Required	Yes
--------------	-----

#### Technical Specifications/तकनीकी विशिष्टियाँ

\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERIC	Residual Current Operated Circuit -Breakers for Household and Similar Uses conforming to	IS: 12640 (Part 1) :2008 /IEC61008-I :1996 latest IS: 12640 (Part 1) :2008 /IEC61008-I :1996 latest IS: 12640 (Part 1) :2008 /IEC61008-I :1996 latest
	<b>RCCB type</b>	Type AC
	<b>Rated voltage</b>	415
	<b>Rated frequency</b>	50 Hz
	<b>Number of poles</b>	4
	<b>Rated Current (in Ampere)</b>	63
	<b>Rated residual operating current (in Ampere)</b>	0.006, 0.01, 0.03, 0.1, 0.3, 0.5
	<b>Rated residual making and breaking capacity</b>	630 A
	<b>Rated conditional short circuit current and Rated conditional residual short circuit current</b>	10000, 10000 kA
	<b>EMC Compliance</b>	Yes
	<b>Warranty</b>	1 Year

#### Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Mayurkumar Navinchandra Patel	380005,ITER-INDIA, IPR, BLOCK-A, SANGATH SKYZ, BHAT-MOTERA ROAD, KOTESHWAR, AHMEDABAD-380005, GUJARAT, INDIA	6	45

### RCCB - Residual Current Operated Circuit - Breakers As Per IS 12640 ( 5 pieces )

Bis Required	Yes
--------------	-----

### Technical Specifications/तकनीकी विशिष्टियाँ

\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERIC	Residual Current Operated Circuit -Breakers for Household and Similar Uses conforming to	IS: 12640 (Part 1) :2008 /IEC61008-I :1996 latest IS: 12640 (Part 1) :2008 /IEC61008-I :1996 latest IS: 12640 (Part 1) :2008 /IEC61008-I :1996 latest
	<b>RCCB type</b>	Type AC
	<b>Rated voltage</b>	415
	<b>Rated frequency</b>	50 Hz
	<b>Number of poles</b>	4
	<b>Rated Current (in Ampere)</b>	40
	<b>Rated residual operating current (in Ampere)</b>	0.03
	<b>Rated residual making and breaking capacity</b>	500 A
	<b>Rated conditional short circuit current and Rated conditional residual short circuit current</b>	10000, 10000 kA
	<b>EMC Compliance</b>	Yes
	<b>Warranty</b>	1 Year

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Mayurkumar Navinchandra Patel	380005,ITER-INDIA, IPR, BLOCK-A, SANGATH SKYZ, BHAT-MOTERA ROAD, KOTESHWAR, AHMEDABAD-380005, GUJARAT, INDIA	5	45

### RCCB - Residual Current Operated Circuit - Breakers As Per IS 12640 ( 15 pieces )

Bis Required	Yes
--------------	-----

#### Technical Specifications/तकनीकी विशिष्टियाँ

\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERIC	Residual Current Operated Circuit -Breakers for Household and Similar Uses conforming to	IS: 12640 (Part 1) :2008 /IEC61008-I :1996 latest IS: 12640 (Part 1) :2008 /IEC61008-I :1996 latest IS: 12640 (Part 1) :2008 /IEC61008-I :1996 latest
	<b>RCCB type</b>	Type AC
	<b>Rated voltage</b>	240
	<b>Rated frequency</b>	50 Hz
	<b>Number of poles</b>	2
	<b>Rated Current (in Ampere)</b>	40
	<b>Rated residual operating current (in Ampere)</b>	0.03
	<b>Rated residual making and breaking capacity</b>	500 A
	<b>Rated conditional short circuit current and Rated conditional residual short circuit current</b>	10000, 10000 kA
	<b>EMC Compliance</b>	Yes
	<b>Warranty</b>	1 Year

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Mayurkumar Navinchandra Patel	380005,ITER-INDIA, IPR, BLOCK-A, SANGATH SKYZ, BHAT-MOTERA ROAD, KOTESHWAR, AHMEDABAD-380005, GUJARAT, INDIA	15	45

### RCCB - Residual Current Operated Circuit - Breakers As Per IS 12640 ( 25 pieces )

Bis Required	Yes
--------------	-----

#### Technical Specifications/तकनीकी विशिष्टियाँ

\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERIC	Residual Current Operated Circuit -Breakers for Household and Similar Uses conforming to	IS: 12640 (Part 1) :2008 /IEC61008-I :1996 latest IS: 12640 (Part 1) :2008 /IEC61008-I :1996 latest IS: 12640 (Part 1) :2008 /IEC61008-I :1996 latest
	<b>RCCB type</b>	Type AC
	<b>Rated voltage</b>	240
	<b>Rated frequency</b>	50 Hz
	<b>Number of poles</b>	2
	<b>Rated Current (in Ampere)</b>	25
	<b>Rated residual operating current (in Ampere)</b>	0.03
	<b>Rated residual making and breaking capacity</b>	500 A
	<b>Rated conditional short circuit current and Rated conditional residual short circuit current</b>	10000, 10000 kA
	<b>EMC Compliance</b>	Yes
<b>Warranty</b>	1 Year	

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Mayurkumar Navinchandra Patel	380005,ITER-INDIA, IPR, BLOCK-A, SANGATH SKYZ, BHAT-MOTERA ROAD, KOTESHWAR, AHMEDABAD-380005, GUJARAT, INDIA	25	45

**Circuit Breakers With Integral Overcurrent Protection (RCBO) As Per IS 12640 (Part 2) IEC 61009 - 1 ( 5 pieces )**

Bis Required	Yes
--------------	-----

**Technical Specifications/तकनीकी विशिष्टियाँ**

\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERIC	Whether product ISI Marked	Yes
	Type designation	Type AC
	Number of poles and	2 pole RCBO with two overcurrent protected poles
	Rated voltage (in Volt)	240
	Rated Current (in Amps)	16
	Rated short-circuit capacity (in A)	10000
	Rated residual operating current (in Amps)	0.03
	Range of instantaneous tripping over current	C type
CONSTRUCTION	Method of operation	Functionally independent of line voltage, Functionally dependent on line voltage
	Type of installation	For fixed installation and fixed wiring;
	Possibility of adjusting the residual operating current	Single value of rated residual operating current
	Resistance type for unwanted tripping due to voltage surges	Normal resistance (for General type RCBO)
	Time delay	Without time delay for general type
	Enclosure	With enclosure, Without enclosure
	Method of mounting	Surface-type
	Method of connection	Plug-in type
	Degree of protection	IP20

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Material for Current-carrying parts including parts intended for protective conductors	Copper

**Additional Specification Parameters - Circuit Breakers With Integral Overcurrent Protection (RCBO) As Per IS 12640 (Part 2) IEC 61009 - 1 ( 5 pieces )**

Specification Parameter Name	Bid Requirement (Allowed Values)
Rated Frequency	50 Hz
Rates Residual Breaking and Making Capacity (A)	500A

\* Bidders offering must also comply with the additional specification parameters mentioned above.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Mayurkumar Navinchandra Patel	380005,ITER-INDIA, IPR, BLOCK-A, SANGATH SKYZ, BHAT-MOTERA ROAD, KOTESHWAR, AHMEDABAD-380005, GUJARAT, INDIA	5	45

**MCB - Miniature Circuit - Breakers For A.C. Operation As Per IS / IEC 60898 (Part 1) ( 1 pieces )**

Bis Required	Yes
--------------	-----

**Technical Specifications/तकनीकी विशिष्टियाँ**

\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
STANDARDS	Conformity of the specification	as per IS/IEC 60898 : PART 1:2015 latest
	Product ISI Marked	Yes



Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
RATING	No. of pole (hint: "P" - Pole, "PP" Protected Pole)	4 P with 4 PP
	Rated voltage (in Volts)	415 V, AC
	Rated Current (in Ampere)	40
	Instantaneous tripping current type	C
	Rated Short circuit capacity (in Ampere)	10000
CONSTRUCTION	Provision of steel sheet enclosure duly pretreated stove enamelled/powder coated for MCBs	Without enclosure, Yes with 1.2 mm thick

**Additional Specification Parameters - MCB - Miniature Circuit - Breakers For A.C. Operation As Per IS / IEC 60898 (Part 1) ( 1 pieces )**

Specification Parameter Name	Bid Requirement (Allowed Values)
MCB Type	Type AC
Rated Frequency	50 Hz
Rated Residual Breaking and Making Capacity (A)	500 A
EMC Compliance	Yes
Warranty	1 Year

\* Bidders offering must also comply with the additional specification parameters mentioned above.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Mayurkumar Navinchandra Patel	380005, ITER-INDIA, IPR, BLOCK-A, SANGATH SKYZ, BHAT-MOTERA ROAD, KOTESHWAR, AHMEDABAD-380005, GUJARAT, INDIA	1	45

**MCB - Miniature Circuit - Breakers For A.C. Operation As Per IS / IEC 60898 (Part 1) ( 2 pieces )**

Bis Required	Yes
--------------	-----

**Technical Specifications/तकनीकी विशिष्टियाँ**

\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
STANDARDS	<b>Conformity of the specification</b>	as per IS/IEC 60898 : PART 1:2015 latest
	Product ISI Marked	Yes
RATING	<b>No. of pole (hint: "P" - Pole, "PP" Protected Pole)</b>	2 P with 2 PP
	<b>Rated voltage (in Volts)</b>	240 V, AC
	<b>Rated Current (in Ampere)</b>	63
	<b>Instantaneous tripping current type</b>	C
	<b>Rated Short circuit capacity (in Ampere)</b>	10000
CONSTRUCTION	<b>Provision of steel sheet enclosure duly pretreated stove enamelled/powder coated for MCBs</b>	Without enclosure, Yes with 1.2 mm thick

**Additional Specification Parameters - MCB - Miniature Circuit - Breakers For A.C. Operation As Per IS / IEC 60898 (Part 1) ( 2 pieces )**

Specification Parameter Name	Bid Requirement (Allowed Values)
MCB Type	Type AC
Rated Frequency	50 Hz
Rated Residual Breaking and Making Capacity (A)	630 A
EMC Compliance	Yes
Warranty	1 Year

\* Bidders offering must also comply with the additional specification parameters mentioned above.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Mayurkumar Navinchandra Patel	380005,ITER-INDIA, IPR, BLOCK-A, SANGATH SKYZ, BHAT-MOTERA ROAD, KOTESHWAR, AHMEDABAD-380005, GUJARAT, INDIA	2	45

## Buyer Added Bid Specific Terms and Conditions/क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें

### 1. Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 25% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be  $(\text{Increased quantity} \div \text{Original quantity}) \times \text{Original delivery period (in days)}$ , subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

### 2. Generic

Actual delivery (and Installation & Commissioning (if covered in scope of supply)) is to be done at following address

ITER-India Lab Building,  
Institute For Plasma Research,  
Near Indira Bridge, P.O. Bhat,  
Gandhinagar -382428,  
Gujarat, India

### 3. Generic

Supplier shall ensure that the Invoice is raised in the name of Consignee with GSTIN of Consignee only.

### 4. Generic

While generating invoice in GeM portal, the seller must upload scanned copy of GST invoice and the screenshot of GST portal confirming payment of GST.

### 5. Generic

Data Sheet of the product(s) offered in the bid, are to be uploaded along with the bid documents. Buyers can match and verify the Data Sheet with the product specifications offered. In case of any unexplained mismatch of technical parameters, the bid is liable for rejection.

### 6. Scope of Supply

Scope of supply (Bid price to include all cost components) : Only supply of Goods

### 7. Certificates

Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.

#### 8. Buyer Added Bid Specific ATC

Buyer Added text based ATC clauses

Note:

1. Bidder are requested to fill Bidder's compliance column (duly signed and stamped) of the attached Technical Specifications Documents (Annexure-A). Bidder needs to sign & stamp on each & every page of attached Annexure-A. This will be considered as an acceptance of bidder on Annexure-A.

2. Specifications and other details as per Annexure-A shall have precedence over GeM Category Specifications.

2. Items to be quoted as per technical specification mentioned in attached Annexure-A only.

3. Annexure-I : Self-declaration by Bidder of a country sharing/not sharing land border with India and Annexure-II Make In India (MII) to be submitted on bidder's letter head duly stamped and signed.

4. Price Break-up to be submitted duly signed & stamped as per price bid format.

Corrigendum:

1. 63A, 100mA FP RCCB as per IS 12640 (6 Pieces) :

Specification Name	Specification	Bid Requirements In Place of	Read As
GENERIC	Rated residual operating current (in Ampere)	0.006, 0.01, 0.03, 0.1, 0.3, 0.5	100 mA (0.1 A)

#### 9. Buyer Added Bid Specific ATC

Buyer uploaded ATC document [Click here to view the file.](#)

### Disclaimer/अस्वीकरण

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for [attached categories](#), trials are allowed as per approved procurement policy of the buyer nodal Ministries)

9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

**All GeM Sellers / Service Providers are mandated to ensure compliance with all the applicable laws / acts / rules including but not limited to all Labour Laws such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972 etc. Any non-compliance will be treated as breach of contract and Buyer may take suitable actions as per GeM Contract.**

[This Bid is also governed by the General Terms and Conditions/ यह बिड सामान्य शर्तों के अंतर्गत भी शासित है](#)

In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws./जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।

**---Thank You/धन्यवाद---**